




Tel: 0674-2973126
E-mail: rospcb.bhubaneswar@ospcboard.org
Website: www.ospcboard.org

OFFICE OF THE REGIONAL OFFICER, BHUBANESWAR
STATE POLLUTION CONTROL BOARD, ODISHA
[DEPARTMENT OF FOREST, ENVIRONMENT & CLIMATE CHANGE, GOVERNMENT OF ODISHA]
Plot No. B-59/2 & B-59/3, Chandaka Industrial Estate, Patia, Po- KIIT, Bhubaneswar - 751024

No. 1843 / RO-BBSR/1077

Date 30/05/2023

CONSENT ORDER NO. RO/BBSR/CTO. 1568/ WPC/APC

Sub: Consent to operate U/S 25/26 of the Water (PCP) Act, 1974 and U/S 21 of Air (PCP) Act, 1981.

Ref: Your Online Application No. 4870351, dt. 14.4.2023 and this office Consent to Operate Order issued vide letter no. 1660/RO-BBSR-1077, Dt. 27.5.2022.

Consent to operate is hereby granted under section 25/26 of Water (Prevention & Control of Pollution) Act, 1974 & under section 21 of Air (Prevention & Control of Pollution) Act, 1981 and rules framed there under to

Name of the Industry: **M/s. ESHAN ECODRIVE PRIVATE LIMITED**

Name of the Occupier & Designation: **Sri Sambeet Kumar Mallik, Proprietor**

Address: **At/Po: Pitapalli, Dist.: Khordha, Odisha,**

This consent order is valid for the period upto **31.03.2026**

This consent order is valid for the product quantity, specified outlets, discharge quantity and quality, specified chimney / stack, emission quantity and quality of emissions as specified below. This consent is granted subject to the general and special conditions stipulated therein.

A. Details of Products Manufactured:

Sl. No.	Product	Quantity
1	Biodegradable Compostable Bag	300 MT/Annum

P.T.O



CONSENT ORDER

B. Discharge permitted through the following outlet subject to the standard.

Outlet No.	Description of outlet.	Point of discharge	Quantity of discharge KLD or KL/hr	Prescribed standard.			
				pH	SS (mg/l, max)	BOD (mg/l, max)	Oil & Grease (mg/l, max)
1	Domestic effluent	Soak pit	-	-	-	-	
2	Cooling Water	Recycled & Reused					

C. Emission permitted through the following stack subject to the prescribed standard.

Chimney Stack No.	Description of stack	Stack height (m)	Quantity of emission	Prescribed standard mg/Nm ³				
				PM	SO ₂	NO _x		
			-	-	-	-	-	-

D. Disposal of solid waste permitted in the following manner

Sl. No.	Type of solid waste	Quantity generated (TPD)	Quantity to be reused on site (TPD)	Quantity to be reused off site (TPD)	Quantity disposed off (TPD)	Description of disposal site
1	Rejected extruded products	-	-	-	-	To be reused/sold to authorized recyclers
2	Floor sweeps					Low land filling

Contd....



E.

GENERAL CONDITIONS FOR ALL UNITS

1. The consent is given by the Board in consideration of the particulars given in the application. Any change or alternation or deviation made in actual practice from the particulars furnished in the application will also be the ground liable for review/variation/revocation of the consent order under section 27 of the Act of Water (Prevention & Control of Pollution) Act, 1974 and section 21 of Air (Prevention & Control of Pollution) Act, 1981 and to make such variations as deemed fit for the purpose of the Acts.
2. The industry would immediately submit revised application for consent to operate to this Board in the event of any change in the quantity and quality of raw material / and products / manufacturing process or quantity /quality of the effluent rate of emission / air pollution control equipment / system etc.
3. The applicant shall not change or alter either the quality or quantity or the rate of discharge or temperature or the route of discharge without the previous written permission of the Board.
4. The application shall comply with and carry out the directives/orders issued by the Board in this consent order and at all subsequent times without any negligence on his part. In case of non-compliance of any order/directives issued at any time and/or violation of the terms and conditions of this consent order, the applicant shall be liable for legal action as per the provisions of the Law/Act.
5. The applicant shall make an application for grant of fresh consent at least 90 days before the date of expiry of this consent order.
6. The issuance of this consent does not convey any property right in either real or personal property or any exclusive privileges nor does it authorize any injury to private property or any invasion of personal rights, nor any infringement of Central, State laws or regulation.
7. This consent does not authorize or approve the construction of any physical structure or facilities or the undertaking of any work in any natural water course.
8. The applicant shall display this consent granted to him in a prominent place for perusal of the public and inspecting officers of this Board.
9. An inspection book shall be opened and made available to Board's Officers during the visit to the factory.
10. The applicant shall furnish to the visiting officer of the Board any information regarding the construction, installation or operation of the plant or of effluent treatment system / air pollution control system / stack monitoring system any other particulars as may be pertinent to preventing and controlling pollution of Water / Air.
11. Meters must be affixed at the entrance of the water supply connection so that such meters are easily accessible for inspection and maintenance and for other purposes of the Act provided that the place where it is affixed shall in no case be at a point before which water has been tapped by the consumer for utilization for any purposes whatsoever.
12. Separate meters with necessary pipe-line for assessing the quantity of water used for each of the purposes mentioned below:
 - a) Industrial cooling, spraying in mine pits or boiler feed,
 - b) Domestic purpose
 - c) Process
13. The applicant shall display suitable caution board at the place where the effluent is entering into any water-body or any other place to be indicated by the Board, indicating therein that the area into which the effluents are being discharged is not fit for the domestic use/bathing.
14. Storm water shall not be allowed to mix with the trade and/or domestic effluent on the upstream of the terminal manholes where the flow measuring devices will be installed.
15. The applicant shall maintain good house-keeping both within the factory and the premises. All pipes, valves, sewers and drains shall be leak-proof. Floor washing shall be admitted into the effluent collection system only and shall not be allowed to find their way in storm drains or open areas.

16. The applicant shall at all times maintain in good working order and operate as efficiently as possible all treatment or control facilities or systems install or used by him to achieve with the term(s) and conditions of the consent.
17. Care should be taken to keep the anaerobic lagoons, if any, biologically active and not utilized as mere stagnation ponds. The anaerobic lagoons should be fed with the required nutrients for effective digestion. Lagoons should be constructed with sides and bottom made impervious.
18. The utilization of treated effluent on factory's own land, if any, should be completed and there should be no possibility of the effluent gaining access into any drainage channel or other water courses either directly or by overflow.
19. The effluent disposal on land, if any, should be done without creating any nuisance to the surroundings or inundation of the lands at any time.
20. If at any time the disposal of treated effluent on land becomes incomplete or unsatisfactory or create any problem or becomes a matter of dispute, the industry must adopt alternate satisfactory treatment and disposal measures.
21. The sludge from treatment units shall be dried in sludge drying beds and the drained liquid shall be taken to equalization tank.
22. The effluent treatment units and disposal measures shall become operative at the time of commencement of production.
23. The applicant shall provide port holes for sampling the emissions and access platform for carrying out stack sampling and provide electrical outlet points and other arrangements for chimneys/stacks and other sources of emissions so as to collect samples of emission by the Board or the applicant at any time in accordance with the provision of the Act or Rules made therein.
24. The applicant shall provide all facilities and render required assistance to the Board staff for collection of samples / stack monitoring / inspection.
25. The applicant shall not change or alter either the quality or quantity or rate of emission or install, replace or alter the air pollution control equipment or change the raw material or manufacturing process resulting in any change in quality and/or quantity of emissions, without the previous written permission of the Board.
26. No control equipments or chimney shall be altered or replaced or as the case may be erected or re-erected except with the previous approval of the Board.
27. The liquid effluent arising out of the operation of the air pollution control equipment shall be treated in the manner and to ion of standards prescribed by the Board in accordance with the provisions of Water (Prevention and Control of Pollution) Act, 1974 (as amended).
28. The stack monitoring system employed by the applicant shall be opened for inspection to this Board at any time.
29. There shall not be any fugitive or episodal discharge from the premises.
30. In case of such episodal discharge/emissions the industry shall take immediate action to bring down the emission within the limits prescribed by the Board in conditions/stop the operation of the plant. Report of such accidental discharge /emission shall be brought to the notice of the Board within 24 hours of occurrence.
31. The applicant shall keep the premises of the industrial plant and air pollution control equipments clean and make all hoods, pipes, valves, stacks/chimneys leak proof. The air pollution control equipments, location, inspection chambers, sampling port holes shall be made easily accessible at all times.
32. Any upset condition in any of the plant/plants of the factory which is likely to result in increased effluent discharge/emission of air pollutants and / or result in violation of the standards mentioned above shall be reported to the Headquarters and Regional Office of the Board by fax / speed post within 24 hours of its occurrence.



33. The industry has to ensure that minimum three varieties of trees are planted at the density of not less than 1000 trees per acre. The trees may be planted along boundaries of the industries or industrial premises. This plantation is stipulated over and above the bulk plantation of trees in that area.
34. The solid waste such as sweeping, wastage packages, empty containers residues, sludge including that from air pollution control equipments collected within the premises of the industrial plants shall be disposed off scientifically to the satisfaction of the Board, so as not to cause fugitive emission, dust problems through leaching etc., of any kind.
35. All solid wastes arising in the premises shall be properly classified and disposed off to the satisfaction of the Board by:
 - i) Land fill in case of inert material, care being taken to ensure that the material does not give rise to leachate which may percolate into ground water or carried away with storm run-off.
 - ii) Controlled incineration, wherever possible in case of combustible organic material.
 - iii) Composting, in case of bio-degradable material.
36. Any toxic material shall be detoxicated if possible, otherwise be sealed in steel drums and buried in protected areas after obtaining approval of this Board in writing. The detoxication or sealing and burying shall be carried out in the presence of Board's authorized persons only. Letter of authorization shall be obtained for handling and disposal of hazardous wastes.
37. If due to any technological improvement or otherwise this Board is of opinion that all or any of the conditions referred to above requires variation (including the change of any control equipment either in whole or in part) this Board shall after giving the applicant an opportunity of being heard, vary all or any of such condition and thereupon the applicant shall be bound to comply with the conditions so varied.
38. The applicant, his/heirs/legal representatives or assignees shall have no claim whatsoever to the condition or renewal of this consent after the expiry period of this consent.
39. The Board reserves the right to review, impose additional conditions or condition, revoke change or alter the terms and conditions of this consent.
40. Notwithstanding anything contained in this conditional letter of consent, the Board hereby reserves to it the right and power under section 27(2) of the Water (Prevention & Control of Pollution) Act, 1974 to review any and/or all the conditions imposed herein above and to make such variations as deemed fit for the purpose of the Act by the Board.
41. The conditions imposed as above shall continue to be in force until revoked under section 27(2) of the Water (Prevention & Control of Pollution) Act, 1974 and section 21 A of Air (Prevention & Control of Pollution) Act, 1981.
42. In case the consent fee is revised upward during this period, the industry shall pay the differential fees to the Board (for the remaining years) to keep the consent order in force. If they fail to pay the amount within the period stipulated by the Board the consent order will be revoked without prior notice.
43. The Board reserves the right to revoke/refuse consent to operate at any time during period for which consent is granted in case any violation is observed and to modify/ stipulate additional conditions as deemed appropriate



CONSENT ORDER

F. SPECIAL CONDITONS:

1. The domestic effluent shall be discharged to soak pit via septic tank constructed as per BIS specification.
2. The cooling water shall be completely recycled. Under no circumstance untreated wastewater shall be discharged outside the factory premises.
3. Industry has to maintain good housekeeping inside the plant premises.
4. All the industrial processes shall be carried under closed industrial shed and the unit shall provide adequate ventilation and lighting in the shed.
5. Adequate exhaust fans shall be provided in the work zone area.
6. The unit shall install DG set in an acoustically enclosed room over anti vibration pad to control noise and vibration. The height of the stack attached to DG set shall be $H = h + 0.2 \sqrt{KVA}$, where h = Height of the building where it is installed in meter, KVA = Capacity of D.G. Set, H = Height of the stack in meter above ground level.
7. The D.G set shall be installed in an acoustically designed enclosure to control noise level and over anti vibration pads to avoid vibration.
8. The unit shall abide by all the provisions of the Plastic Waste Management Rules, 2016.
9. The unit shall apply to the State Pollution Control Board, Odisha, Bhubaneswar for Registration of its unit as per the provisions of the Plastic Waste Management Rules, 2016.
10. The industry shall take up plantations of indigenous species around the available vacant areas inside the factory premises.
11. The ambient air quality at the boundary of the factory premises shall conform to the National Ambient Air Quality Standard i.e. Particulate Matter Concentration (size less than $10\mu m$ or PM_{10}) i.e. $100 \mu g/m^3$.
12. Solid waste generated shall be stored in a designated area and disposed without causing any nuisance or environmental pollution in the surrounding.
13. The unit shall abide by Environment (Protection) Act, 1986 and other rules amended there under.
14. The unit shall have to submit a declaration by 30th April every year that all the pollution control systems are in good condition and are being maintained properly, the emissions and effluent are conforming to the prescribed standard and all the consent conditions have been complied with.

Contd....



15. The Board may impose further conditions or modify the conditions stipulated in this order during operation of the plant and may revoke this order incase the stipulated conditions are not implemented and /or any information suppressed in the application form.
16. The Board reserves the right to revoke /refuse consent at any time during this period for which consent is granted in case any violation is observed and to modify/stipulate additional conditions as deemed appropriate.
17. In case the consent fee is revised upward during this period, the industry shall pay the differential fees to the Board (for the remaining years) to keep the consent order in force. If they fail to pay the amount within the period stipulated by the Board the consent order will be revoked without prior notice.

The occupier must comply with the conditions stipulated in section A, B, C, D, E and F to keep this consent order valid.

REGIONAL OFFICER

To,

Sri Sambeet Kumar Mallik, Managing Director
M/s. Eshan Ecodrive Private Limited,
At: Plot No. 212.10, Lane No. 3, Pallashpalli,
Po: Bhubaneswar, Dist: Khurda, Odisha

Memo No. 1844 / Dtd. 30/05/2023

Copy forwarded to:

1. Member Secretary, S.P.C. Board, Odisha, Bhubaneswar
2. Collector & District Magistrate, Khordha
3. General Manager, District Industries Centre, Bhubaneswar
4. Copy to Guard file.

REGIONAL OFFICER